




Sample Name : M2296-3-Methyladenine (3-MA)-07
Acq. Operator : C22
Spec. Reported : MS Integration
Acq. Method : D:\METHODS\1-POS-3MIN.M
Analysis Method : D:\METHODS\1-POS-3MIN.M
Sample Info : Easy-Access Method: '1-POS-3MIN.M'
Method Info : Column:Xbridge C18(2) (4.6x 50 mm, 3.5um)
 Mobile phase: H2O(10 mmol NH4HCO3) (A) / ACN(B)
 Elution program: Gradient from 5 to 95% of B in1.5min at 1.8ml/min
 Temperature: 50 °C
 Detection: UV (214 , 4 nm) and MS (ESI, Pos mode ,103 to 800 amu)



Integration Results for DAD1 A, Sig=214,4 Ref=off


RetTim	Width	Area	Height	Area%
0.59	0.07	3819.37	848.95	98.89
0.85	0.03	28.37	14.09	0.73
0.95	0.02	14.35	13.50	0.37

Integration Results for DAD1 B, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%
0.59	0.07	1159.89	260.98	98.35
0.86	0.03	19.43	9.79	1.65

Ret. Time: 0.34

<<<< POSITIVE SPECTRA >>>>



Ret. Time: 0.60

